



STATEMENT OF ENERGY PERFORMANCE

Sample Facility

Building ID: 1013702
For 12-month Period Ending: October 31, 2003¹

Date SEP Generated:
January 09, 2004

Sample Facility

123 Notreal St.
Arlington 22201

Gross Building Area: 15,000 ft²
Year Built: 1980

Owner

Sample Owner
Contact: Jane Doe
123 Sample St.
Sampleville VA 22201
888-888-8888

Facility Space Use Summary

Space Type	Area(ft ²)	Occupants	Operating hours/week	Number of PCs
Office (General)	15,000	35	55	32

Site Energy Use Summary

Electricity (kBtu)	484,504
Natural Gas (kBtu)	0
Total Energy (kBtu)	484,504

Professional Verification

John Doe
111 Fake St.
Faketown VA 22201
888-888-8888

Licensed Number: Test-Lic
State: VA

Results

Energy Performance Rating² (1-100) 91

Energy Intensity³

Site (kBtu/ft ² -yr)	32.4
Source (kBtu/ft ² -yr)	97.3

Emissions


CO ₂ (1000 lbs/yr)	1,016
SO ₂ (1000 lbs/yr)	30
NO _x (1000 lbs/yr)	2

Energy Cost

Cost (\$/yr)	\$0
Intensity (\$/ft ² -yr)	\$0.00

Indoor Environment Criteria⁴

Indoor air pollutants controlled?	Yes
Adequate ventilation provided?	Yes
Thermal conditions met?	Yes
Adequate illumination provided?	Yes



Notes:

1. Application for ENERGY STAR must be submitted to EPA within 4 months of the Period Ending date. Award of ENERGY STAR is not final until approval is received from EPA.

2. An energy performance rating of 75 is the minimum required rating to be considered eligible for ENERGY STAR.

3. Values represent energy intensity, annualized to a 365 day calendar.

4. Based on meeting ASHRAE Standard 62-1999 for indoor air quality, ASHRAE Standard 55-1992 for thermal comfort, and IESNA Lighting Handbook for lighting quality.

Tracking Number: SEP200401090001002252